JJ GLOBAL PROTUCTS CATALOG

#8533 JJ1200DT-10

Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diama Rated power Control unit Battery Front susper Rear susper Wheel Brake Anti-theft Tire Max speed Mileage

	Large LCD meter
5	1950X750X1180mm
	1345mm
neter	Front & rear 14in
er	2500W
it	15 tubes
	72/30AH lithium battery
ension	30 tubes hydraulic
ension	30 tubes hydraulic
	14in aluminum wheel
	Front & rear disc
	Dual remote control
	90/90-14
	65km/h
	90KM



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	BlackBerry meter
	1850X690X1100mm
	1310mm
neter	12in
er	1200W/35h 2000W/40h /optional
t	12 tubes high power
	48V180Ah lithium battery
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Aluminum wheel
	Front & rear disc
	APP Bluetooth alarm
	90/80-12hot melt tires 3.00-10 /optional
	68km/h
	70km

#8601 JJ1200DT-53A

Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest+ front and rear linkage disc brake pump reverse brake + opposed cylinder



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	BlackBerry meter
3	1840X735X1140mm
	1315mm
neter	12in
er	6000W/50h
it	30 tubes wireless
	Lithium battery
ension	31 tubes hydraulic
ension	30 tubes hydraulic adjustable
	Aluminum disc brake
	Front & rear disc
	APP Bluetooth alarm
	hot melt tires120/70-12
	115km/h
	90km

#8532 JJ1200DT-10

Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Front suspe Rear susper Wheel Brake Anti-theft Tire Max speed Mileage

	Blackberry meter/E-Motor
5	1840*740*1150
	1370
neter	10in
er	1500W/35h
it	12 tubes reinforced
	60V/72V20AH
ension	30 tubes hydraulic
ension	30 tubes hydraulic
	10in disc
	Front & rear disc
	Dual remote control
	3.00-10 vacuum tire
	53km/h
	60KM/70KM

#8537 JJ1200DT-10

Selling points: one-key repair + threespeedtransmission + mobile phone charger + backrest



Display	LCD meter
Dimensions	1790X720X1140mm
Wheelbase	1280mm
Wheel diameter	10in
Rated power	1500W/35h
Control unit	12 tubes(reinforced)
Battery	72V20AH
Front suspension	27 tubes hydraulic
Rear suspension	27 tubes adjustable hydraulic
Wheel	Iron clad aluminum wheel
Brake	Front & rear disc
Anti-theft	Dual remote control
Tire	3.00-10 vacuum tire
Max speed	53km/h
Mileage	68km

#8538 JJ1200DT-10

Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest

EEC APPROVED



Display
Dimensions
Wheelbase
Wheel diam
Rated powe
Control uni
Battery
Front susp
Rear suspe
Wheel
Brake
Anti-theft
Tire
Max speed
Mileage

	LCD meter
5	1880X740X1160mm
	1340
neter	12in
er	1500W/35h
it	12 tubes
	72V20AH
ension	30 tubes hydraulic
ension	30 tubes hydraulic
	12 in disc brake
	Front & rear disc
	Dual remote control
	3.00-10 vacuum tire
	45km/h
	70KM

#6105 JJ600DQT-6C

Selling points: one-key repair + mobile phone charger + three-speed transmission + large tail box



Display
Dimensions
Wheelbase
Wheel diam
Rated powe
Control uni
Battery
Front susp
Rear suspe
Wheel
Brake
Anti-theft
Tire
Max speed
Mileage





LCD meter 1780X700X1020mm 1280mm eter 10in
1280mm
eter 10in
er 600W/24h 800W/27h 1000W/30h/optional
t 12 tubes wireless
60V/72V20AH
ension 27 tubes hydraulic
nsion 24 tubes hydraulic
Iron clad aluminum alloy disc brake/optional
Front disc and rear drum/optional
Dual remote control
3.00-10 vacuum tire
52km/h
65km

/IVORY/DODGERBLUE/

IVORY/PEACOCK



#6118 JJ600DQT-24

Selling points: one-key repair + three-speed transmission + mobile phone charger + opposed cylinder disc brake + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



	LCD meter
5	1520X720X1035mm
	1100mm
neter	8in
er	600W/40h
it	12 tubes wireless
	48/60V20AH
ension	27 tubes hydraulic
nsion	24 tubes hydraulic
	Aluminum wheel disc brake
	Front disc rear drum
	Dual remote control alarm
	3.0-8
	43km/h
	75km



Selling points: one-key repair + three-speed transmission + mobile phone charger + large tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





WHITE



LIGHTGREY



PALEGREEN



LIGHTGREEN/LIGHTGREEN /

	LCD meter
	1760X680X1070mm
	1270mm
eter	10in
er	600W/27h 800W/30h /optional
t	12 tubes wireless
	48V/60V/72V20AH
ension	27 tubes hydraulic
nsion	24 tubes hydraulic
	Iron wheel disc brake
	Front disc rear drum/optional
	Dual remote control alarm
	3.00-10 vacuum tire
	45km/h
	65km



/LIGHTBLUE/MIDNIGHTBLUE/



LIGHTSALMON/SALMON



Selling points: one-key repair + three-speed transmission + mobile phone charger + large tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	LCD meter
I	1765X760X1060mm
	1275mm
neter	10in
er	600W/24h 600W/27h /optional
t	12 tubes wireless
	48V/60V/72V20AH 48V/60V30AH
ension	27 tubes hydraulic
nsion	24 tubes hydraulic
	Iron wheel disc brake
	Front disc rear drum /optional
	Dual remote control alarm
	3.00-10 vacuum tire
	52km/h
	75km

#8504 JJ1000DT-4A

Selling points: one-key repair + three-speed transmission + mobile phone charger + opposed cylinder disc brake + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



LCD meter 1730X730X1095mm 1260mm
1260mm
neter 10in
er 600W/27h 1000W/30h /optional
it 12 tubes reinforced
60/72V20AH
ension 27 tubes hydraulic
nsion 24 tubes hydraulic
Aluminum cylinder disc brake
Front disc rear drum
Dual remote control alarm
3.00-10 vacuum tire
45km/h
65KM/70KM

#8554 JJ1000DT-15

Selling points: one-key repair + three-speed transmission + mobile phone charger + opposed cylinder disc brake + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear susper Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



er 600W/24h 1000W/30h /optional it 12 tubes wireless 48/60/72V20AH ension 27 tubes hydraulic		
1250mmneter10in600W/24h 1000W/30h /optional600W/24h 1000W/30h /optional12 tubes wireless12 tubes wireless48/60/72V20AHension27 tubes hydraulic10 Clad aluminum compound wheelFront disc rear drum /optional10 Clad aluminum compound wheel10 Clad aluminum compound wheel10 Clad aluminum compound wheel10 Clad aluminum compound wheel10 Clad aluminum compound wheel11 Clad aluminum compound wheel11 Clad aluminum compound wheel12 Clad aluminum compound wheel13 Clad aluminum compound wheel14 Clad alum		LCD meter
neter10in600W/24h 1000W/30h /optional600W/24h 1000W/30h /optional12 tubes wireless48/60/72V20AH48/60/72V20AHension27 tubes hydraulic24 tubes hydraulicIron clad aluminum compound wheelFront disc rear drum /optionalDual remote control alarm3.00-10 vacuum tire49km/h	5	1700X700X1090mm
er 600W/24h 1000W/30h /optional it 12 tubes wireless 48/60/72V20AH ension 27 tubes hydraulic 24 tubes hydraulic Iron clad aluminum compound wheel Front disc rear drum /optional Dual remote control alarm 3.00-10 vacuum tire 49km/h		1250mm
it 12 tubes wireless 48/60/72V2OAH ension 27 tubes hydraulic 24 tubes hydraulic Iron clad aluminum compound wheel Front disc rear drum /optional Dual remote control alarm 3.00-10 vacuum tire 49km/h	neter	10in
48/60/72V20AHension27 tubes hydraulicension24 tubes hydraulicIron clad aluminum compound wheelFront disc rear drum /optionalDual remote control alarm3.00-10 vacuum tire49km/h	er	600W/24h 1000W/30h /optional
ension 27 tubes hydraulic 24 tubes hydraulic 1ron clad aluminum compound wheel Front disc rear drum /optional Dual remote control alarm 3.00-10 vacuum tire 49km/h	t	12 tubes wireless
ension 24 tubes hydraulic Iron clad aluminum compound wheel Front disc rear drum /optional Dual remote control alarm 3.00-10 vacuum tire 49km/h		48/60/72V20AH
Iron clad aluminum compound wheel Front disc rear drum /optional Dual remote control alarm 3.00-10 vacuum tire 49km/h	ension	27 tubes hydraulic
Front disc rear drum /optional Dual remote control alarm 3.00-10 vacuum tire 49km/h	nsion	24 tubes hydraulic
Dual remote control alarm 3.00-10 vacuum tire 49km/h		Iron clad aluminum compound wheel
3.00-10 vacuum tire 49km/h		Front disc rear drum /optional
49km/h		Dual remote control alarm
		3.00-10 vacuum tire
70KM		49km/h
		70KM



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





WHITE

GREEN

LIGHT STEELBLUE

	BlackBerry meter
5	1755X760X1075mm
	1300mm
neter	10in
er	800W/27h 1000W/30h /optional
it	12 tubes wireless
	48/60/72V20AH 48V/60V20AH/30AH
ension	27 tubes hydraulic
nsion	24 tubes hydraulic
	Iron wheel disc brake
	Front disc rear drum
	Dual remote control
	3.00-10 vacuum tire
	45km/h
	65km





Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



COLORS



Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed

Display

Mileage

	BlackBerry meter
5	1720X770X1080mm
	1290mm
neter	10in
er	1200W/35h
it	12 tubes reinforced
	60V/72V/20AH/30AH
ension	30 tubes hydraulic
ension	30 tubes hydraulic
	Aluminum wheel
	Front & rear disc
	Dual remote control
	3.00-10 vacuum tire
	52km/h
	65km



#8526 JJ1200DT-52

Selling points: one-key repair+ three-speed transmission+mobile phone charger+opposite cylinder black+ backrest version



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage



	BlackBerry meter
;	1710X720X1090mm
	1200mm
neter	10in
er	600W/27h 800W/30h
t	12 tubes
	48/60V/72V20AH
ension	27 tubes hydraulic
nsion	24 tubes hydraulic
	Iron clad aluminum compound wheel
	Front disc rear drum/optional
	Dual remote control
	3.00- 10 vacuum tire
	52km/h
	65km



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear susper Wheel Brake Anti-theft Tire Max speed Mileage





BlackBerry meter	
1610X740X1100mm	
1125mm	
neter 10in	
er 500W/24h	
it 9 tubes wireless	
48/60V20AH	
ension 27 tubes hydraulic	
ension 24 tubes hydraulic	
Iron clad aluminum compound wheel	
Front disc rear drum /optional	
Dual remote control	
3.00-10 vacuum tire	
43km/h	
67km	



Selling points: one-key repair + three-speed transmission + mobile phone charger + large bumper



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





BlackBerry meter 1810X710X1097mm 1340mm 1340mm 1340mm 1000W/30h 1200W/35h/optional 12 tubes wireless 60V/72V/20AH/30AH 60V/72V/20AH/30AH 12 tubes hydraulic 60V/72V/20AH/30AH 12 tubes hydraulic 10 tubes h		
1340mmneter10inneter1000W/30h 1200W/35h/optionalneter12 tubes wireless12 tubes wireless60V/72V/20AH/30AHnesion30 tubes hydraulicnesion30 tubes hydraulicCompound wheel disc brakeCompound wheel disc brakeFront disc rear drum/optionalDual remote control3.00-10 widened steel wire vacuum tire52km/h		BlackBerry meter
Image:	i	1810X710X1097mm
er 1000W/30h 1200W/35h/optional 12 tubes wireless 60V/72V/20AH/30AH ension 30 tubes hydraulic 30 tubes hydraulic Compound wheel disc brake Front disc rear drum/optional Dual remote control 3.00-10 widened steel wire vacuum tire		1340mm
t 12 tubes wireless 60V/72V/20AH/30AH ension 30 tubes hydraulic 30 tubes hydraulic Compound wheel disc brake Compound wheel disc brake Front disc rear drum/optional Dual remote control 3.00-10 widened steel wire vacuum tire 52km/h	ieter	10in
60V/72V/20AH/30AH ansion 30 tubes hydraulic ansion 30 tubes hydraulic Compound wheel disc brake Front disc rear drum/optional Dual remote control 3.00-10 widened steel wire vacuum tire 52km/h	er	1000W/30h 1200W/35h/optional
ension 30 tubes hydraulic msion 30 tubes hydraulic Compound wheel disc brake Front disc rear drum/optional Dual remote control 3.00-10 widened steel wire vacuum tire 52km/h	t	12 tubes wireless
insion 30 tubes hydraulic Compound wheel disc brake Front disc rear drum/optional Dual remote control 3.00-10 widened steel wire vacuum tire 52km/h		60V/72V/20AH/30AH
Compound wheel disc brake Front disc rear drum/optional Dual remote control 3.00-10 widened steel wire vacuum tire 52km/h	ension	30 tubes hydraulic
Front disc rear drum/optional Dual remote control 3.00-10 widened steel wire vacuum tire 52km/h	nsion	30 tubes hydraulic
Dual remote control 3.00-10 widened steel wire vacuum tire 52km/h		Compound wheel disc brake
3.00-10 widened steel wire vacuum tire 52km/h		Front disc rear drum/optional
52km/h		Dual remote control
		3.00-10 widened steel wire vacuum tire
80km		52km/h
		80km



Selling points: one-key repair + three-speed transmission + mobile phone charger + large bumper



Display
Dimensions
Wheelbase
Wheel dian
Rated pow
Control un
Battery
Front susp
Rear suspe
Wheel
Brake
Anti-theft
Tire
Max speed
Mileage





	BlackBerry meter
5	1810X710X1097mm
	1340mm
ieter	10in
er	1200W/40h 1500W/40h/optional
t	15 tubes reinforced wireless
	60V/72V/20AH/30AH 96V/20AH
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Compound wheel disc brake
	Front & rear disc
	Dual remote control
	3.00-10 widened steel wire vacuum tire
	45km/h
	65km

#8561 JJ1000DT-18

Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	LCD meter
•	1750X740X1080mm
	1275mm
neter	10in
er	600W/27h 800W/30h
t	12 tubes wireless
	48/60/72V20AH
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Iron clad aluminum compound wheel
	Front & rear disc/optional
	Dual remote control
	3.00-10 vacuum tire
	43km/h
	57KM



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	LCD meter
5	1785X740X1060mm
	1280mm
neter	10in
er	800W/30h
it	12 tubes wireless
	60/72V20/30AH
ension	27 tubes hydraulic
ension	24 tubes hydraulic
	Iron clad aluminum compound wheel
	Front disc rear drum
	Dual remote control
	3.00-10 vacuum tire
	43km/h
	59KM

#8564 JJ1200DT-13

Selling points: one-key repair + three-speed transmission + mobile phone charger + opposed cylinder + large bumper tail box



Display
Dimensions
Wheelbase
Wheel diam
Rated powe
Control unit
Battery
Front suspe
Rear susper
Wheel
Brake
Anti-theft
Tire
Max speed
Mileage

COLORS



	LCD meter
i	1780X770X1080mm
	1310mm
leter	10in
er	1000W/30h
t	12 tubes wireless
	60/72V20/30AH
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Aluminum clad iron composite wheel disc brake
	Front & rear disc/optional
	Dual remote control
	3.00-10-6 widened steel wire tire
	52km/h
	80km

#8567 JJ1200DT-13

Selling points: one-key repair + three-speed transmission + mobile phone charger + opposed cylinder + large bumper tail box



Display
Dimension
Wheelbase
Wheel diar
Rated pow
Control un
Battery
Front sus
Rear susp
Wheel
Brake
Anti-theft
Tire
Max speed
Mileage

COLORS



	LCD meter
	1780X770X1080mm
	1310mm
eter	10in
er	1200W/40h 1500W/40h /optional
t	12/15 tubes reinforced/optional
	60/72V20/30AH 96V20AH
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Aluminum clad iron composite wheel disc brake
	Front & rear disc/optional
	Dual remote control
	3.00-10-6 widened steel wire tire
	50km/h
	150km

#8569 JJ1000DT-12

Selling points: one-key repair + three-speed transmission + mobile phone charger + opposed cylinder



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	BlackBerry meter
5	1810X700X1090mm
	1300mm
neter	10in
er	600W/27h 1000W/30h /optional
it	12 tubes wireless
	48V/60V/72V20/30AH
ension	30 tubes hydraulic
ension	30 tubes hydraulic
	Aluminum clad iron composite wheel disc brake
	Front & rear disc /optional
	Dual remote control
	3.00-10 vacuum tire
	50km/h
	75km

#8572 JJ1200DT-55A

Selling points: one-key repair + three-speed transmission + mobile phone charger + front and rear linkage disc brake pump



BLUE

Display
Dimensions
Wheelbase
Wheel dian
Rated pow
Control un
Battery
Front susp
Rear suspe
Wheel
Brake
Anti-theft
Tire From
Max speed
Mileage

BLACK



WHITE

GRAY



BlackBerry meter	
1895X780X1130mm	
1380mm	
neter Front & rear 12in	
er 1200W/35h 2000W/40h 2500W/40h /optional	
it 12 tubes high power	
60/72V20/30AH	
ension 30 tubes hydraulic	
ension 30 tubes hydraulic	
Aluminum wheels	
Front & rear disc	
Alipay APP/Bluetooth alarm	
nt 90/80-12 rear 3.50-10 vacuum tires 100/80-12 hot melt tires/optional	
75km/h	
50km	



DARKBLUE/WHITE/RED



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	BlackBerry meter
	1910X745X1180mm
	1345mm
eter	Front 12in rear 10in /optional
r	1200W/35h
:	12 tubes ultra strong
	60V/72V/20AH/30AH
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Aluminum wheel /optional
	Front & rear disc
	Dual remote control
	Front 90/80-12/rear 3.50-10 /optional
	52km/h
	62KM/68KM



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



	BlackBerry meter
•	1910X745X1180mm
	1345mm
neter	Front 12in rear 10in
er	1200W/40h
t	15 tubes reinforced wireless
	60V/72V/20AH/30AH
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Aluminum wheel
	Front & rear disc
	Dual remote control
	Front 80/90-12 rear 3.50-10
	65km/h
	50/60/75/85km



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



er 2500W/40h it 12 tubes high power /optional 72V35.5AH ension 30 tubes hydraulic		
heter Front & rear 12in Front & rear 12in Er 2500W/40h it 12 tubes high power /optional 72V35.5AH ension 30 tubes hydraulic mision 30 tubes hydraulic Aluminum alloy wheel disc brake /optional Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional		BlackBerry meter
Front & rear 12inFront & rear 12inPront & rear 12inPront & 12 tubes high power /optional12 tubes high power /optional72V35.5AHPension30 tubes hydraulicAluminum alloy wheel disc brake /optionalFront & rear discDual remote control90-90-12 100-80-12hot melt tires/optional88KM/h	5	1910X745X1180mm
er 2500W/40h it 12 tubes high power /optional 72V35.5AH ension 30 tubes hydraulic ansion 30 tubes hydraulic Aluminum alloy wheel disc brake /optional Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h		1345mm
it 12 tubes high power /optional 72V35.5AH ension 30 tubes hydraulic 30 tubes hydraulic Aluminum alloy wheel disc brake /optional Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h	neter	Front & rear 12in
72V35.5AH ension 30 tubes hydraulic ansion 30 tubes hydraulic Aluminum alloy wheel disc brake /optional Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h	er	2500W/40h
ension 30 tubes hydraulic sinsion 30 tubes hydraulic Aluminum alloy wheel disc brake /optional Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h	it	12 tubes high power /optional
ension 30 tubes hydraulic Aluminum alloy wheel disc brake /optional Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h		72V35.5AH
Aluminum alloy wheel disc brake /optional Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h	ension	30 tubes hydraulic
Front & rear disc Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h	ension	30 tubes hydraulic
Dual remote control 90-90-12 100-80-12hot melt tires/optional 88KM/h		Aluminum alloy wheel disc brake /optional
90-90-12 100-80-12hot melt tires/optional 88KM/h		Front & rear disc
88KM/h		Dual remote control
		90-90-12 100-80-12hot melt tires/optional
65KM		88KM/h
		65KM



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

Display





	LCD meter
5	1760X740X1040mm
	1300mm
neter	10in
er	600W/27h 1000W/30h /optional
it	12 tubes wireless
	48V/60V/72V20AH
ension	27 tubes hydraulic
ension	24 tubes hydraulic
	Iron clad aluminum compound wheel
	Front disc rear drum /optional
	Dual remote control
	3.00-10
	45km/h
	67KM



Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display
Dimensions
Wheelbase
Wheel dian
Rated pow
Control un
Battery
Front susp
Rear suspe
Wheel
Brake
Anti-theft
Tire
Tire Max speed





	BlackBerry meter
	1850X690X1100mm
	1310mm
ieter	12in
er	1200W/35h 2000W/40h /optional
t	12 tubes high power
	48V180Ah lithium battery
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Aluminum wheel
	Front & rear disc
	APP Bluetooth alarm
	90/80-12hot melt tires 3.00-10 /optional
	68km/h
	70km

#8462 JJ1800DT-36

Selling points: one-key repair + three-speed transmission + mobile phone charger + large bumper tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





WHITE

RED

PEACOCK

BRIGHT BLACK

Certified and mass-produced

	BlackBerry meter
;	1880 ×710 × 1125
	1460mm
neter	10in
er	1500W/35h 1800W/45h /optional
it	12/15/18 tubes/optional
	72AH/45AH 96V20AH/30AH
ension	30 tubes hydraulic
ension	32 tubes hydraulic
	Aluminum wheel /optional
	Front & rear disc
	Dual remote control
	Front 90-90/12 rear 3.00-10 low rolling resistance vacuum tire
	52km/h
	80km

DARK GREY/BRIGHT BLACK



#8477 JJ1000DT-5

Selling points: one-key repair + three-speed transmission + mobile phone charger + large bumper tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear susper Wheel Brake Anti-theft Tire Max speed Mileage





WHITE

RED

MEDIUM SEAGREEN

BLACK

	Blackberry meter/E-Motor READY
•	1810X695X1080mm
	1355mm
leter	10in
er	800W/27h 1200W/35h /optional
t	12/15 tubes reinforced wireless /optional
	60V/72V20/30AH
ension	30 tubes hydraulic
nsion	32 tubes hydraulic
	Iron wheel disc brake
	Front disc rear drum
	Dual remote control
	3.00-10
	52km/h
	80km





Selling points: one-key repair + three-speed transmission + mobile phone charger + backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



WHITE



BLACK



DARK SEAGREEN



	Blackberry meter/E-Motor READY
5	1745X665X1080mm
	1265mm
neter	10in
er	500W/24h 600W/27h 800W/30h 1000W/30h /optional
it	12 tubes wireless
	48V/60V/72V20AH
ension	27 tubes hydraulic
ension	32 tubes hydraulic
	Iron wheel disc brake
	Front disc rear drum /optional
	Dual remote control
	3.00-10 vacuum tire
	45km/h
	65km/75km

#8582 JJ1200DT-51

Selling points: one-key repair + three-speed transmission + mobile phone charger + large bumper tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





WHITE

RED

STEEL BLUE

BRIGHT BLACK

	BlackBerry meter
5	1940 ×720 × 1085
	1375mm
neter	10in
er	800W/30h 1200W/35h /optional
it	12 tubes wireless/ultra strong /optional
	60V/72V/20AH/30AH
ension	30 tubes hydraulic
ension	32 tubes hydraulic
	Iron wheel disc brake
	Front & rear disc /optional
	Dual remote control
	3.00-10 vacuum tire
	58km/h
	80km



#8583 JJ1200DT-45

Selling points: one-key repair + three-speed transmission + mobile phone charger + delivery large bumper tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



	Blackberry meter/E-Motor READY
5	1820X730X1070mm
	1315mm
neter	10in
er	1200W/35h 1200W/40h /optional
it	12 tubes ultra strong
	60V/72V20/30AH
ension	30 tubes hydraulic
ension	30 tubes hydraulic
	Aluminum clad iron composite wheel disc brake
	Front & rear disc
	Dual remote control
	3.00-10 vacuum tire
	47km/h、53km/h
	53km/62km

#8590 JJ1200DT-31

Selling points: one-key repair + three-speed transmission + mobile phone charger + bumper tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage





	LCD meter
3	1720X710X1080mm
	1320mm
neter	10in
er	600W/27h 1000W/30h /optional
it	12 tubes wireless
	48V/60V/72V20/30AH
ension	30 tubes hydraulic
ension	32 tubes hydraulic
	Aluminum clad iron composite wheel
	Front disc rear drum
	Dual remote control
	3.00-10 vacuum tire
	52km/h
	70km

► 3C-MOTORCYCLE

#8593 JJ1200DT-10

Selling points: one-key repair + three-speed transmission + mobile phone charger + bumper tail box



COLORS



Display	BlackBerry meter/E-Motor
Dimensions	1845X720X1120mm
Wheelbase	1315mm
Wheel diameter	10in
Rated power	1000W/30h 1200W/35h 1200W/40h /optional
Control unit	12/15 tubes/optional
Battery	60V/72V20/30AH
Front suspension	30 tubes hydraulic
Rear suspension	30 tubes hydraulic
Wheel	Aluminum wheel
Brake	Front & rear disc
Anti-theft	Dual remote control
Tire	Front 90/90-10 rear 3.00-10 vacuum tire/optional
Max speed	65km/h
Mileage	62KM/68KM

3C-MOTORCYCLE

#8595 JJ1000DT-7A

Selling points: one-key repair + three-speed transmission + mobile phone charger + large bumper tail box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front susper Rear susper Wheel Brake Anti-theft Tire Max speed Mileage



	BlackBerry meter
	1870X660X1095mm
	1275mm
leter	10in
er	600W/27h 800W/30h 1000W/30h 1200W/40h /optional
t	12/15 tubes /optional
	48V/60V/72V20/30AH
ension	30 tubes hydraulic
nsion	30 tubes hydraulic
	Aluminum clad iron compound wheel
	Front & rear disc /optional
	Dual remote control
	3.00-10
	65km/h
	62KM/68KM

3C-MOTORCYCLE

#8599 JJ1200DT-53

Selling points: one-key repair + three-speed transmission + mobile phone charger + bumper tail box + opposed cylinder



Display
Dimensions
Wheelbase
Wheel dian
Rated pow
Control un
Battery
Front susp
Rear suspe
Wheel
Brake
Anti-theft
Tire
Max speed
Mileage





Certified and mass-produced

	BlackBerry meter
5	1840X735X1140mm
	1315mm
neter	10in
er	1200W/35h 2000W/40h /optional
it	12 tube high power
	72V20AH
ension	30 tubes hydraulic
ension	30 tubes hydraulic
	Aluminum alloy wheel disc brake
	Front & rear disc
	Dual remote control
	Front 90-90-12 rear 3.50-10 full effect hot melt/optional
	70km/h
	65km





Selling points: one-key repair + three-speed transmission + tail box version



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Tire Max speed Mileage

COLORS



WHITE



BURGUNDY



DARK BLUE



Certified and mass-produced

	LCD meter
•	1780x630x1060mm
	1310mm
leter	10in
er	600W/24h
t	12 tubes wireless
	48V/60V20AH
ension	Hydraulic
nsion	Hydraulic
	Iron wheel
	Front & rear drum
	Dual remote control
	2.75- 10 vacuum tire
	43km/h
	95km





GREY



#6139 JJ800DQT-43A

Selling points: one-key repair + three-speed transmission + lens headlamp + LED steering light



Display
Dimension
Wheelbase
Wheel diar
Rated pow
Control un
Battery
Front susp
Rear suspe
Wheel
Brake
Anti-theft
Tire
Max speed
Mileage





Certified and mass-produced

	BlackBerry meter
5	1750X715X1095mm
	1305mm
neter	10in
er	1000W/30h
t	12 tubes wireless
	60V/72V20AH
ension	Hydraulic
nsion	Refitted shock absorption
	Aluminum wheel
	Front & rear disc
	Dual remote control
	3.00- 10 steel wire vacuum tire
	49km/h
	85km

► 3C-MOPED

#6140 JJ1000DQT-43

Selling points: one-key repair + sharp appearance + three-speed transmission + hydraulic + NFC



Di	splay
Di	mension
w	heelbase
w	heel dian
Ra	ated pow
Ca	ontrol un
Ba	attery
Fr	ont susp
Re	ear suspe
w	heel
Br	rake
Aı	nti-theft
Ti	re
М	ax speed
М	ileage





	LCD meter
5	1630X765X1050mm
	1210mm
neter	10in
er	1000W/30h
it	12 tubes wireless
	48V/60V20AH
ension	27 tubes hydraulic
nsion	24 tubes hydraulic
	Aluminum wheel
	Front & rear disc
	NFC
	3.0- 10 vacuum tire
	51km/h
	65km

WHITE/BLUE/RED

WHITE/BLUE/YELLOW

#5409 TDT2228-1Z

Selling points: Self-developed, fashional colors, source color plastic parts, durable basket, lens headlamp, high elasticity enlarged integrated saddle, iron plastic rear foot rest, wide foot pedal space, stamping deviation ladder, wide rear mud board



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



1020mmneter14iner350Wit6 tubes4 8 V1 2 Ahدension34 tubes front forkensionRear dual shock absorberIron wheelدensionIron wheel//		
1020mm neter 14in er 350W it 6 tubes 4 8 V1 2 Ah 4 8 V1 2 Ah ension 34 tubes front fork ension Rear dual shock absorber Iron wheel Iron wheel front 80 drum, rear expanding bake // re size 14*2.125 tubeless 2 5 Km/h 2 5 Km/h		General meter
neter 14in er 350W it 6 tubes 4 8 V1 2 Ah ension 34 tubes front fork ension Rear dual shock absorber Iron wheel Kront 80 drum, rear expanding bake // re size 14*2.125 tubeless 2 5 Km/h	5	1450x610x1020mm
er 350W it 6 tubes 4 8 V1 2 Ah A 8 V1 2 Ah 34 tubes front fork mension 34 tubes front fork Rear dual shock absorber Iron whee Iron whee Mare size 14*2.125 tubeless 25 Km/h		1020mm
it 6 tubes 4 8 V1 2 Ah A 8 V1	neter	14in
4 8 V1 2 Ah ension 34 tubes front fork ension Rear dual shock absorber Iron wheel Front 80 drum, rear expanding bake // re size 14*2.125 tubeless 2 5 Km/h	er	350W
ension 34 tubes front fork Rear dual shock absorber Iron wheel Front 80 drum, rear expanding bake // re size 14*2.125 tubeless 2 5 Km/h	it	6 tubes
ension Rear dual shock absorber Iron wheel Front 80 drum, rear expanding bake // re size 14*2.125 tubeless 2 5 Km/h		4 8 V1 2 Ah
Iron wheel Front 80 drum, rear expanding bake // re size 14*2.125 tubeless 2 5 Km/h	ension	34 tubes front fork
Front 80 drum, rear expanding bake // re size 14*2.125 tubeless 2 5 Km/h	ension	Rear dual shock absorber
// re size 14*2.125 tubeless 2 5 Km/h		Iron wheel
re size 14*2.125 tubeless 2 5 Km/h		Front 80 drum, rear expanding bake
2 5 Km/h		//
	re size	14*2.125 tubeless
4 5 Km		2 5 Km/h
		4 5 Km

#5410 TDT2223-1Z

Selling points: Self-developed, fashional colors, source color plastic parts, flat tube rear backrest, durable basket, lens headlamp + LED gene rear taillight, high elasticity enlarged integrated saddle, iron plastic rear foot rest, wide foot pedal space, stamping deviation ladder, wide rear mud board







	General meter
5	1495x610x1020mm
	1020mm
neter	14in
er	350W
it	6 tubes
	4 8 V1 2 Ah
ension	34 tubes front fork
ension	Rear dual shock absorber
	Iron wheel
	Front 80 drum, rear 110 drum
	//
re size	14*2.125 tubeless
	2 5 Km/h
	4 5 Km

#5411 TDT2246Z

Selling points: Integrated bubble daytime running light + transparent headlight meter, fashional colors, source color plastic parts, durable basket, high elasticity integrated saddle, long range pedals, iron plastic rear foot rest, backrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage

COLORS



BLACK/BRIGHT BLACK/ MATT BLACK



DODGERBLUE/YELLOW/ MATT BLACK



LIGHTGREEN/CORAL/GRAY

	LED meter
5	1500x675x1035mm
	1650mm
neter	14in
er	350W
it	6 tubes
	48V20Ah
ension	38 tubes front fork
ension	Rear dual shock absorber
	Iron wheel
	Front 80 drum, rear 110 drum
	//
re size	14*2.5 tubeless
	25Km/h
	75Km



#5412 TDT2233Z

Selling points: Self-developed, source color plastic parts, bubble daytime running light, durable basket, integrated 6 tubes, wide pedal, front folding footrest, LED gene tail light +brake lights, wide rear footrest, dual step shock absorption, high rebound saddle, reinforced partial ladder



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage





heter 1065mm heter 14in er 400W it Integrated 6 tubes 48/12Ah2OAh A8/12Ah2OAh 1000 100 1000 1		
heter 1065mm heter 14in er 400W it Integrated 6 tubes 48/12Ah2OAh 48/12Ah2OAh 38 tubes front fork maion 38 tubes front fork resion Rear double-step shock absorber Iron wheel Iron wheel tront 80 drum, rear 110 drum Single remote control alarm 25Km/h		LED meter
heter 14in 400W it Integrated 6 tubes 48/12Ah2OAh 48/12Ah2OAh 1881 0 38 tubes front fork 1895 0 Abbes front fork 1996 0 Abbes 10 Abbes 10 Abbes 1997 0 Abbes 10 Abb	5	1515x670x1015mm
er 400W it Integrated 6 tubes 48/12Ah2OAh ension 38 tubes front fork maion Rear double-step shock absorber Iron wheel Iron wheel single remote control alarm fre size 14x2.50 tubeless 25Km/h		1065mm
it Integrated 6 tubes 48/12Ah2OAh ension 38 tubes front fork ension Rear double-step shock absorber Iron wheel Iron wheel Single remote control alarm re size 14x2.50 tubeless 25Km/h	neter	14in
48/12Ah2OAh ension 38 tubes front fork ension Rear double-step shock absorber Iron wheel Front 80 drum, rear 110 drum Single remote control alarm 14x2.50 tubeless 25Km/h	er	400W
ension 38 tubes front fork Ension Rear double-step shock absorber Iron wheel Front 80 drum, rear 110 drum Single remote control alarm 14x2.50 tubeless 25Km/h	it	Integrated 6 tubes
ension Rear double-step shock absorber Iron wheel Front 80 drum, rear 110 drum Single remote control alarm 14x2.50 tubeless 25Km/h		48/12Ah20Ah
re size I fron wheel 25Km/h	ension	38 tubes front fork
Front 80 drum, rear 110 drum Single remote control alarm 14x2.50 tubeless 25Km/h	ension	Rear double-step shock absorber
Single remote control alarm re size 14x2.50 tubeless 25Km/h		Iron wheel
re size 14x2.50 tubeless 25Km/h		Front 80 drum, rear 110 drum
25Km/h		Single remote control alarm
	re size	14x2.50 tubeless
45/75Km		25Km/h
		45/75Km



#5413 TDT2249Z

Selling points: high brightness headlights+LED rear tail lights, fashional colors, source color plastic parts, flat tube rear backrest, durable basket, high elasticity enlarged integrated saddle, front folding footrest + iron plastic rear foot rest, wide foot pedal space, stamping deviation ladder, wide rear mud board



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage








	LED meter
5	1495×620× 1055mm
	1015mm
neter	14in
er	350W
it	6 tubes
	48V12Ah removable
ension	38 tubes front fork
ension	Rear dual shock absorber
	Iron wheel
	Front 80 aluminum drum brake, rear 110 aluminum drum brake
	//
re size	14*2.125 tubeless
	25Km/h
	45Km

#5414 TDT2256Z

Selling points: Fashion Style, retro elements, paint baking process+electroplating process, fashional colors, front folding footrest, lens daytime running headlights+LED rear taillights including brake lights, high elasticity enlarged integrated saddle, tool space+dual gear, atmosphere light at the charging port









PINK/TURQUOISE/ PALEVIOLETRED



LIGHTS KYBLUE/IVORY/ LIGHTSLATEGRAY



	Digital meter
i	1480*680* 1020mm
	1070mm
neter	Front 8in rear 14in
er	400W
t	Integrated large 6 tubes
	48/60V20Ah
ension	42 tubes front fork
nsion	Rear dual shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Single remote control alarm
re size	Front 2.75-8 rear 14 * 2.5 steel wire
	25km/h
	45km/75km

#5415 TDT2245Z

Selling points: Self-developed high windshield frame body, 48/60V universal battery, self-developed high brightness gene headlights+front daytime running lights+high brightness daytime running lights on both sides, rear integrated gene tail lights with turn signals, dual speed high and low speed function, self-developed integrated digital meter, high speed streamlined body, high elastic and enlarged integrated saddle, comfortable rear seat cushion, front folding footrest +split rear footrest, with tool bucket + durable basket



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front susper Rear susper Wheel Brake Anti-theft Wheel & tire Max speed Mileage





	Self-developed integrated digital meter
3	1545 * 660 * 1040mm
	1100mm
neter	14in
er	500W
it	9 tubes integrated
	48/ 60V20Ah
ension	42 tubes imitation hydraulic front fork
ension	Rear shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Single remote control alarm
re size	14*2.5 tubeless
	25 Km/h
	75/ 90Km

#5416 TDT2226-1Z

Selling points: Independent R & D, new fashionable color matching, source colored plastic parts, gene tail lights+brake lights, lens headlights, steel wire vacuum tires, wide integrated basket, new national standard high elasticity integrated saddle, front folding iron footrest, dual speed transmission, enlarged and thickened front and rear mudboards, wide colored plastic backrest, side opening controller box, rear large iron plastic footrest



Display Dimensions Wheelbase Wheel diama Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



LED meter 1510*660*1040mm 1075mm 1075mm 14in er 400W 1510*660*1040mm 1075mm 1075mm 14in 1075mm 14in 1075mm
1075mm 14in er 400W
eter 14in er 400W
er 400W
t 9 tubes integrated
48/60V20Ah
ension 42 tubes front fork
Rear dual shock absorber
Iron wheel
Front and rear 110 aluminum drum brakes
Remote anti-theft device
re size 14 * 2.50 steel wire vacuum tire
25km/h
75/90Km

#5417 TDT2226Z

Selling points: Independent R & D, new fashionable color matching, original colored plastic parts, integrated turn gene tail light+brake light, integrated turn lens headlight instrument panel, steel wire vacuum tire, durable basket, new national standard high elasticity integrated saddle, front folding iron footrest, dual speed transmission, enlarged and thickened front and rear mudboards, wide colored plastic backrest, side opening controller box, rear large iron plastic footrest



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage





	General meter
•	1510*660*1040mm
	1075mm
neter	14in
er	400W
t	9 tubes integrated
	48/60V20Ah
ension	42 tubes front fork
nsion	Rear dual shock absorber
	Iron wheel
	Front and rear 110 aluminum drum brakes
	Remote anti-theft device
re size	14 * 2.50 steel wire vacuum tire
	25km/h
	75/90Km

#5418 TDT2247Z

Selling points: Digital meter, high brightness lens headlights+LED rear taillights, front and rear turn signals, thickened and enlarged iron plastic basket, front hydraulic shock absorber+rear dual shock absorber, sporty high elasticity large saddle, widened rear seat cushion, front folding footrest+iron plastic rear footrest, widened foot pedal space, widened stamping deviation ladder



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



Digital meter	
1665x700x1060mm	
1190mm	
neter 14ir	
er 600W	
it Integrated large 9 tubes controller	
60/72V20Ar	
ension 27 tubes hydraulic front fork	
Rear dual shock absorber	
Iron whee	
Front and rear 110 drum brakes	
Dual remote control alarm	
re size 2.75-10 steel wire tire	
25Km/r	
75Km/85Km	

#5402 TDT2225Z

Selling points: Classic fashion style, F&R hydraulic shock absorbers, 9 tubes integrated controller, 3speed/gear selection, far and near light + lens, LED tail lights + brake lights, crystal turn signal, dual remote control anti-theft, integrated comfortable large saddle, faucet lock, nylon partial ladder + middle ladder, rear folded footrest, front folding storage hook + super large bucket storage box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Digital display meter
5	1550*730*1070mm
	1120mm
neter	Front 8in rear 14in
er	600W
it	9 tubes integrated
	48/60V20Ah
ension	27 tubes hydraulic front fork
ension	Rear double spring hydraulic shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	Front 3.00-8 rear 80/70-10 vacuum tires
	25km/h
	75Km/90Km

#5419 TDT2257Z

Selling points: Independent R & D, fashionable design, colorful color scheme, automotive grade paint, aviation handlebars, front and rear hydraulic shock absorbers, lens headlights+daytime running lights+high and low beams, fashionable logo rear taillights+front and rear steering, 3 speed transmission, integrated large saddle, middle elevator+side elevator, middle large footrest+rear footrest, tool bucket+seat bucket storage box



Display Dimensions Wheelbase Wheel diama Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Digital meter
5	1570*690*1035mm
	1130mm
neter	Front 8in rear 14in
er	500W
it	9 tubes integrated
	48/60V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic double spring shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	Front 3.0-8 Rear 2.75-10
	25km/h
	45km/75km

#5420 TDT2257Z

Selling points: Independent R & D, fashionable design, colorful color scheme, automotive grade paint, aviation handlebars, front and rear hydraulic shock absorbers, lens headlights+daytime running lights+high and low beams, fashionable logo rear taillights+front and rear steering, 3 speed transmission, integrated large saddle, middle elevator+side elevator, middle large footrest+rear footrest, tool bucket+seat bucket storage box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear susper Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Digital meter
5	1570*690* 1035mm
	1130mm
neter	Front 8in rear 14in
er	500W
it	9 tubes integrated
	48/60V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic double spring shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	Front 3.0-8 Rear 2.75-10
	25km/h
	45km/75km



#5421 TDT2257Z

Selling points: Independent R & D, fashionable design, colorful color scheme, automotive grade paint, aviation handlebars, front and rear hydraulic shock absorbers, lens headlights+daytime running lights+high and low beams, fashionable logo rear taillights+front and rear steering, 3 speed transmission, integrated large saddle, middle elevator+side elevator, middle large footrest+rear footrest, tool bucket+seat bucket storage box, trunk



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage





	Digital meter
5	1570*690* 1035mm
	1130mm
neter	Front 8in rear 14in
er	500W
it	9 tubes integrated
	48/60V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic double spring shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	Front 3.0-8 Rear 2.75-10
	25km/h
	45km/75km

#5422 TDT2252Z

Selling points: Sporty design, front and rear folding footrest, lens daytime running headlights+LED rear taillights with brake lights, multifunctional combination switch, front and rear turn signals with dual flashing function, high elasticity enlarged integrated saddle, wide rear mudguard, hidden hook, USB, aluminum alloy frame



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Wide screen digital meter
5	1550*730*1070mm
	1120mm
neter	14in
er	600W
it	9 tubes integrated
	48/60/72V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic shock absorber
	Aluminum wheels
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	2.75-10 steel wire tire
	25km/h
	45km75km/85km



#5423 TDT2257Z

Selling points: Independent R & D, fashionable design, colorful color scheme, automotive grade paint, aviation handlebars, front and rear hydraulic shock absorbers, lens headlights+daytime running lights+high and low beams, fashionable logo rear taillights+front and rear steering, 3 speed transmission, integrated large saddle, middle elevator+side elevator, middle large footrest+rear footrest, tool bucket+seat bucket storage box



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Digital meter
5	1570*690*1035mm
	1130mm
neter	Front 8in rear 14in
er	600W
it	Large 9 tubes integrated
	48/60/72V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic double spring shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	Front 3.0-8 Rear 2.75-10
	25km/h
	45km/75km

#5424 TDT2257Z

Selling points: Independent R & D, fashionable design, colorful color scheme, automotive grade paint, aviation handlebars, front and rear hydraulic shock absorbers, lens headlights+daytime running lights+high and low beams, fashionable logo rear taillights+front and rear steering, 3 speed transmission, integrated large saddle, middle elevator+side elevator, middle large footrest+rear footrest, tool bucket+seat bucket storage box



Display Dimensions Wheelbase Wheel diamo Rated power Control unit Battery Front susper Rear susper Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Digital meter
5	1570*690* 1035mm
	1130mm
neter	Front 8in rear 14in
er	600W
it	Large 9 tubes integrated
	48/60/72V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic double spring shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	Front 3.0-8 Rear 2.75-10
	25km/h
	45km/75km



#5425 TDT2257Z

Selling points: self-developed, stylish shaped, colorful color scheme, automotive grade paint, aviation handlebars, front and rear hydraulic shock absorbers, lens headlights+daytime running lights+high and low beams, fashionable logo rear taillights+front and rear steering, 3 speed transmission, integrated large saddle, middle elevator+side elevator, middle large footrest+rear footrest, tool bucket+seat bucket storage storage trunk



Display Dimensions Wheelbase Wheel diama Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage





	Digital meter
3	1570*690* 1035mm
	1130mm
neter	Front 8in rear 14in
er	800W
it	Integrated 12 tubes controller
	48/60/72V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic double spring shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	Front 3.0-8 Rear 2.75-10
	25km/h
	45km/75km/90km

#5426 TDT2251Z

Selling points: Pedal battery box+seat bucket battery box, high and low beam headlights+daytime running lights, front and rear turn signals, one key start function+bluetooth connection, 3 speed transmission+P gear+repair, super high elastic saddle, front folding footrest+wide detachable rear footrest, front and rear linkage disc brakes, front and rear hydraulic shock absorbers, 2.75-10 explosion-proof vacuum tires, delivery racks assemblable, widened and enlarged front and rear mudboards, USB charging holes, tool holders



Display
Dimension
Wheelbase
Wheel diar
Rated pow
Control un
Battery
Front susp
Rear susp
Wheel
Brake
Anti-theft
Wheel & t
Max speed
Mileage

COLORS









Certified and mass-produced

Digital mete	er
1730X740X1100 m	n
1240m	n
neter 14	n
er 1200\	N
it Integrated 12 tubes controlle	er
48/60/72V20A	h
ension 31 tubes hydraulic front for	٠k
Hydraulic shock absorbe	er
14in Aluminum wheels disc brak	e
Front and rear linkage disc brake	S
Dual remote control alar	n
re size 2.75-10 explosion-proof vacuum tir	е
65Km,	'n
75/90/110K	n

#5427 TDT2253Z

Selling points: Round digital meter, high brightness dual lens headlights+LED rear taillights, front and rear hollowed out crystal turn signals, front and rear dual hydraulic shock absorbers, front aluminum wheels, Chaoyang tires, sport high elasticity thickened large saddle, iron plastic front foot rest+iron plastic rear foot rest, wide foot pedal space, round tube deviation ladder, thickened bumper



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Round digital meter
3	1720×755× 1065mm
	1250mm
neter	14in
er	800W
it	Integrated 12 tubes controller
	60/72V20Ah
ension	31 tubes hydraulic front fork
ension	Rear hydraulic shock absorber
	Aluminum wheels
	Front disc brake and rear 110 drum brake
	Dual remote control alarm
re size	3.00-10 vacuum tire
	25Km/h
	90Km/110Km

#5428 TDT2237Z

Selling points: Self-developed high brightness gene headlights+daytime running lights, hollow turn signal, rear integrated gene taillights, dual speed high and low speed function, self-developd integrated borderless digital meter, high speed streamlined body, high elastic and enlarged integrated saddle, comfortable rear seat cushion, front folding footrest, all inclusive body painted silver motor+painted silver front wheel, painted silver hydraulic front fork+double step comfortable rear shock absorber, detachable painted silver basket+storage tool bucket, electroplated handlebars, fashion colors, front 8-inch thick tires



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage

COLORS







PINK/HOTPINK/BROWN



LIGHTBLUE/PALETURQUOISE

Self-developed integrated digital meter
1550*675*1035mm
1060mm
Front 8in rear 14in
er 500W
it 9 tubes integrated
48/60V20Ah
ension 27 hydraulic front fork
Rear double-step shock absorber
Silver 8in Aluminum wheels
Front and rear 110 silver drum brakes
Dual remote control alarm
re size Front 2.75-8 rear 14*2.5 tubeless
25Km/h
75/90Km



#5429 TDT2245Z

Selling points: Self-developed high windshield frame body, 48/60V universal battery, self-developed high brightness gene headlights+front daytime running lights+high brightness daytime running lights on both sides, rear integrated gene tail lights with turn signals, Dual speed high and low speed function, Self-developed integrated digital meter, high speed streamlined body, high elastic and enlarged integrated saddle, comfortable rear seat cushion, front folding footrest +split rear footrest, with tool bucket + durable basket



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear susper Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Self-developed integrated digital meter
3	1545 * 660 * 1040mm
	1100mm
neter	14in
er	500W
it	Integrated 9 tubes dual chip controller
	48/ 60V20Ah
ension	42 tubes imitation hydraulic front fork
ension	Rear shock absorber
	Iron wheel
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	14*2.5 tubeless
	2 5 Km/h
	75/ 90Km



#5379 TDT2227Z

Selling points: Independent R & D,independent high-brightness gene headlights + cool all-round visible light strips, front colorful ribbon-shaped water atmosphere lights + turn signals, chord 2in-1 speaker, rear integrated gene tail lights with turn signals, dual-speed high and low speed functions , stylish integrated handlebar cover, P gear function, USB charging function, independent dual-screen digital meter, high wind-shielding and streamlined body, super large and high elastic saddle, super wide rear seat cushion, front folding footrest, widened and enlarged full package rear mud plate, 2.75-10 vacuum steel tire, hydraulic front fork, rear pulley ladder



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage





	Dual screen digital display meter
•	1600x730x1091mm
	1140mm
ieter	14in
er	600W
t	Large 9 tubes integrated dual chip controller
	60/ 72V20Ah
ension	27 tubes hydraulic front fork
nsion	Rear shock absorber
	Aluminum wheels
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	2.75-10 vacuum steel wire tire
	2 5 Km/h
	90/ 110Km

#5408 TDT2242Z

Selling points: Self-developed high windshield frame, Large 9 tubes integrated, lens lights+daytime running lights, fashion windshield digital meter, luxury and fashionable gene integrated steering, brake, rear taillights, dual speed transmission, with tool bucket, high elastic and enlarged integrated saddle, widened rear seat cushion, bold sports frame, front folding footrest, wide foot pedal space, widening and enlarging the rear mud board, stamping deviation ladder+rear ladder



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



er 600W it 600W it 600W 48V60V72V/20Ah ension 27 tubes hydraulic pipe front fork ension Rear hydraulic shock absorber Iron wheel Iron wheel Front and rear 110 drum brakes Dual remote control alarm 2.75-10 steel wire tire 25km/h		
htter 1100mm htter 14in er 600W it Large 9 tubes integrated 48V60V72V/20Ah ension 27 tubes hydraulic pipe front fork mision Rear hydraulic shock absorber Iron wheel Iron wheel tron size 2.75-10 steel wire tire 25km/h		Digital meter
heter 14in er 600W it Large 9 tubes integrated 48V60V72V/20Ah ension 27 tubes hydraulic pipe front fork ension Rear hydraulic shock absorber Iron wheel Iron wheel ension 2.75-10 steel wire tire 25km/h	5	1595x655x1055mm
er 600W it Large 9 tubes integrated 48V60V72V/20Ah ension 27 tubes hydraulic pipe front fork maion Rear hydraulic shock absorber Iron wheel Iron wheel state front and rear 110 drum brakes Dual remote control alarm 2.75-10 steel wire tire 25km/h		1100mm
it Large 9 tubes integrated 48V6OV72V/2OAh ension 27 tubes hydraulic pipe front fork ension Rear hydraulic shock absorber Iron wheel Iron wheel Front and rear 110 drum brakes Dual remote control alarm re size 2.75-10 steel wire tire 25km/h	neter	14in
48V60V72V/20Ah ension 27 tubes hydraulic pipe front fork ension Rear hydraulic shock absorber Iron wheel Front and rear 110 drum brakes Dual remote control alarm 2.75-10 steel wire tire 25km/h	er	600W
ension 27 tubes hydraulic pipe front fork Rear hydraulic shock absorber Iron wheel Front and rear 110 drum brakes Dual remote control alarm re size 2.75-10 steel wire tire 25km/h	it	Large 9 tubes integrated
Rear hydraulic shock absorber Iron wheel Front and rear 110 drum brakes Dual remote control alarm 2.75-10 steel wire tire 25km/h		48V60V72V/20Ah
re size Iron wheel 25km/h	ension	27 tubes hydraulic pipe front fork
Front and rear 110 drum brakes Dual remote control alarm 2.75-10 steel wire tire 25km/h	ension	Rear hydraulic shock absorber
Dual remote control alarmre size2.75-10 steel wire tire25km/h		Iron wheel
re size 2.75-10 steel wire tire 25km/h		Front and rear 110 drum brakes
25km/h		Dual remote control alarm
	re size	2.75-10 steel wire tire
		25km/h
75/90/110Km		75/90/110Km

#5430 TDT2243Z

Selling points: Fashionable high windshield function skeleton, autonomous high brightness lens headlights+daytime running light strip, LED gene integrated rear tail lights+brake lights+turn signals, dual screen digital meter, mobile phone charging hole+tool bucket, enlarged high elasticity saddle, enlarged and thickened iron basket, widened rear seat cushion, integrated wide front and rear footrest, extended and widened pedal, integrated widened rear mudguard, inclined ladder+middle ladder, 3 speed transmission+P gear+repair



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage



	Dual screen digital meter
3	1700x675x1060mm
	1200mm
neter	14in
er	800W
it	Integrated 12 tubes controller
	48V/60V/72V20Ah
ension	27 tubes hydraulic front fork
ension	Rear hydraulic shock absorber
	Aluminum wheels
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	2.75-10 vacuum tire
	50km/h
	75/90/110km

#5431 TDT2242Z

Selling points: Self-developed high windshield frame, independent high-bright lens headlight + day running light belt, front turn signal, luxury fashion gene integrated rear tail light + brake light + turn signal, integrated 12-tube controller, fashion windshield color screen digital instrument, three speed change +P + repair, with tool bucket, large high elasticity saddle, widened rear seat, enlarged iron basket, thick sports frame, front folding foot rest, wide pedal space, widening and enlarging rear mud board, stamping side ladder + rear car ladder



Display Dimensions Wheelbase Wheel diame Rated power Control unit Battery Front suspe Rear suspen Wheel Brake Anti-theft Wheel & tire Max speed Mileage







LIGHTS KYBLUE



GREEN



	Coloful screen digital meter
i	1595x655x1055mm
	1100mm
leter	14in
er	800W
t	Integrated 12 tubes controller
	48/60/72V20Ah, 48/60V32Ah
ension	27 tubes hydraulic front fork
nsion	Rear hydraulic shock absorber
	Aluminum wheels
	Front and rear 110 drum brakes
	Dual remote control alarm
re size	3.00-10 steel wire vacuum tire
	50km/h
	75/90/110km/125km



inquiry@jinjian-global.com

